

STANLEY

HANDHELD CORDLESS TOOLS

Selection, Innovation, Performance

Your One-Stop Shop
for Hydraulic Tools
and Attachments



STANLEY
Infrastructure

INDUSTRIAL TOOLS & ATTACHMENTS

 **PALADIN** **STANLEY** **LABOUNTY**  **PENGO**

CRIMPING & CUTTING UNTETHERED

For over 30 years, STANLEY Infrastructure has provided the electric utility industry with the most durable, most user friendly hydraulic tools. Our brand new line of cordless hydraulic tools build on that legacy by continuing to make work safer, less strenuous, and more efficient. This line consists of both 6 and 12 ton tools with application specific handle and head styles. Using extensive user input, these tools were developed to help utility workers complete the toughest tasks they face every day on the job.

General Features

- Weather-resistant tool bodies, which incorporate an innovative membrane that allows air in to cool the motor while keeping moisture and dust out. Linemen work in every imaginable weather condition, so should the tools they use.
- Critical components such as the controller board, motor switch, and battery connections are protected by additional moisture resistant technologies.

- These new STANLEY tools share into the premium 20v Max battery platform from DeWALT. This means that a single DeWALT battery can power crimping and cutting tools as well as any of the 100+ power tools currently in the 20v Max line.
- InteLED™ system consists of a very bright ring of LEDs to provide worksite illumination as well as intuitive user feedback about crimp quality. During advance cycle, LEDs shine bright white to help eliminate shadows and minimize work errors. When a good crimp is made, LEDs will flash green. If a bad crimp is made, LEDs will flash red. Further functionality notifies user of maintenance status or tool malfunction.
- Tools are balanced at users hand, for reduced fatigue and improved work duration.
- On-board memory that records cycle count and crimp quality information. Users can access this information via USB cable with STANLEY's crimp software.

Inline Crimper Model IBC600

Time saving rocker trigger system with integrated lockout for safety. 360 Degree rotational head. Easily interchangeable jaws with quick release pin. ACSR cutting jaws will easily cut cables to 477 MCM. EHS cutting jaws power through up to 3/8" EHS guy wire.

SPECIFICATIONS

6 Tons Crimping Force
CU/AL Connectors to 500 MCM
HTAPS to 4/0-4/0
Jaws Available: D3+O, D3+BG, Kearney+BG, ACSR, EHS
Accepts Standard "W" Dies or Kearney Dies
Available In Kit Form and As Bare Tool



Different Jaw Configurations
D3+O
D3+BG
Kearney+BG
ACSR
EHS

Quick Release Pin
Allows for easy jaw change.

Double Action Rocker Trigger
Allows quick cycle time.

Weather Resistant Protective Membrane
Allows electronics to be ventilated while keeping water, dust, and mud out of the crimper.

Premium DeWALT 20V MAX Battery
Compatible with 100+ DeWALT tools.

BRIGHT LED RING



WEATHER RESISTANT



DeWALT BATTERY PLATFORM



3 YEAR LIMITED WARRANTY
ON ALL BATTERY CRIMPING AND CUTTING TOOLS

CRIMPERS AND CUTTERS

CORDLESS
CRIMPING TOOLS

STANLEY®
Infrastructure

STANLEY®
Infrastructure

CRIMPERS AND CUTTERS

CORDLESS
CUTTING TOOLS

Pistol Grip Crimper

Model PBD600

Flip-top four point dieless head. Head opening release pin permanently attached to avoid misplacement. Double trigger with intergrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Compression Force: 6 Tons
 Crimping capacity: Lugs & Splices - Copper #8-500 MCM, Aluminum #8-300MCM, HTAPS - up to 4/0-4/0.
 Available In Kit Form and As Bare Tool



Pistol Grip Crimper

Model PBD1200

One inch C head that accepts standard U type dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Compression Force: 12 Tons
 Crimping capacity: 636 MCM AL, 500 MCM CU, 556 ACSR.
 Head opening: 1”
 Available In Kit Form and As Bare Tool



Pistol Grip Crimper

Model PBD1201

One-and-a-half-inch C head that accepts standard U type dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Crimping Force: 12 Tons
 Crimping Capacity: CU/AL Connectors Up to 750 MCM, ACSR - 556
 Head Opening: 1.5”
 Available In Kit Form and As Bare Tool



Pistol Grip Crimper

Model PBD1202

One and a half inch Kearney style head that accepts WH2 and WH3 style dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Compression Force: 12 Tons
 Crimping capacity: 750 MCM AL+CU, 556 ACSR.
 Head opening: 1.5”
 Available In Kit Form and As Bare Tool



Pistol Grip Cutter

Model PBCC40

One and a half inch (40mm) guillotine head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Cutting Force: 8.8 Tons
 Cutting Capacity: Up to 1750 MCM CU/AL, Up to 1590 ACSR,
 Up to .7" Guy Wire or .5" EHS, Up to .75" Ground Rods
 Available In Kit Form and As Bare Tool



Pistol Grip Crimper

Model PBCC65

Two and a half inch (65mm) scissor style head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Cutting Force: 6.0 Tons
 Cutting Capacity: Up to 2.5” CU/AL
 Available In Kit Form and As Bare Tool



Pistol Grip Crimper

Model PBCC85

Three and a quarter inch (85mm) guillotine head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS
 Cutting Force: 5.5 Tons
 Cutting Capacity: Up to 1250 MCM CU/AL, 3.3” Telecom Cable
 Available In Kit Form and As Bare Tool



Stanley Inline Crimping Tools

Part No.	Description
IBC600B0	6 TON INLINE TOOL - D3/O JAWS
IBC600BG	6 TON INLINE TOOL - D3/BG JAWS
IBC600BKE	6 TON INLINE TOOL - KEARNEY/BG JAWS
IBC600BACSR	6 TON INLINE TOOL – ACSR CUTTER
IBC600BEHS	6 TON INLINE TOOL – EHS CUTTER
IBC600K02	6 TON INLINE TOOL KIT- D3/O JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KG2	6 TON INLINE TOOL KIT- D3/BG JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KKE2	6 TON INLINE TOOL KIT- KEARNEY/BG JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600K05	6 TON INLINE TOOL KIT- D3/O JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KG5	6 TON INLINE TOOL KIT- D3/BG JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KKE5	6 TON INLINE TOOL KIT- KEARNEY/BG JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
IBC600KACSR2	6 TON INLINE TOOL KIT – ACSR CUTTER - 2X 2AH DEWALT BATTERIES – 120V AC CHARGER – BUCKET BAG
IBC600KACSR5	6 TON INLINE TOOL KIT – ACSR CUTTER - 2X 5AH DEWALT BATTERIES – 120V AC CHARGER – BUCKET BAG
IBC600KEHS5	6 TON INLINE TOOL KIT – EHS CUTTER - 2X 5AH DEWALT BATTERIES – 120V AC CHARGER – BUCKET BAG
IBC600KEHS2	6 TON INLINE TOOL KIT – EHS CUTTER - 2X 2AH DEWALT BATTERIES – 120V AC CHARGER – BUCKET BAG



D3 + O



D3 + BG



Kearney + BG



ACSR



EHS

Pistol Grip Crimping & Cutting Tools

PBD600B	6 TON PISTOL CRIMPING TOOL - FLIP TOP DIELESS HEAD - BARE TOOL
PBD600K5	6 TON PISTOL CRIMPING TOOL KIT - FLIP TOP DIELESS HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBD1200B	12 TON PISTOL CRIMPING TOOL - 1" C HEAD - BARE TOOL
PBD1200K5	12 TON PISTOL CRIMPING TOOL KIT - 1" C HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBD1201B	12 TON PISTOL CRIMPING TOOL - 1.5" C HEAD - BARE TOOL
PBD1201K5	12 TON PISTOL CRIMPING TOOL KIT - 1.5" C HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBD1202B	12 TON PISTOL CRIMPING TOOL - 1.5" KEARNEY HEAD - BARE TOOL
PBD1202K5	12 TON PISTOL CRIMPING TOOL KIT - 1.5" KEARNEY HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBCC40B	8.8T PISTOL CUTTING TOOL - 40MM/1.57" GUILLotine HEAD - BARE TOOL
PBCC40K5	8.8T PISTOL CUTTING TOOL KIT - 40MM/1.57" GUILLotine HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBCC65B	6.0T PISTOL CUTTING TOOL - 65MM/2.55" SCISSOR HEAD - BARE TOOL
PBCC65K5	6.0T PISTOL CUTTING TOOL KIT - 65MM/2.55" SCISSOR HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG
PBCC85B	5.5T PISTOL CUTTING TOOL - 85MM/3.34" GUILLotine HEAD - BARE TOOL
PBCC85K5	5.5T PISTOL CUTTING TOOL KIT - 85MM/3.34" GUILLotine HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG

Batteries & Accessories

DCB205	DEWALT 20V MAX* LI-ON 5AH BATTERY
DCB203	DEWALT 20V MAX* LI-ON 2AH LI-ION BATTERY
DCB115	DEWALT 20V ACCESSORY CHARGER
DCB119	DEWALT 12V MAX - 20V MAX LI-ION VEHICLE BATTERY CHARGER
92821	D3/O CRIMPING JAW
92822	D3/BG CRIMPING JAW
92823	KEARNEY CRIMPING JAW
92892	6 TON INLINE ACSR CUTTING JAWS
91662	REPLACEMENT ACSR BLADE
82604	6 TON INLINE TOOL – ACSR CUTTER
94814	6 TON INLINE EHS CUTTING JAWS
93045	REPLACEMENT EHS BLADE
82878	REPLACEMENT EHS BLADE KIT (2 BLADES, 1 SHOE, 1 WIRE GUIDE, HARDWARE, LOCTITE)
BB02	BUCKET BAG - PISTOL GRIP CORDLESS CUTTING & CRIMPING TOOLS
BB01	BUCKET BAG - INLINE CORDLESS CUTTING & CRIMPING TOOLS

7/16” Hex Drive Impact Wrench Kit DCF898P2

SPECIFICATIONS

Up to 500 ft-lbs of max torque

Compact design of 8-13/16” in length and weighs only 7.2 lbs

Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)

Quick release 7/16” chuck and lift hook

LED light with 20 second delay for increased visibility



3/8” Square Drive Impact Wrench Kit DCF890M2

SPECIFICATIONS

Compact and ergonomic with only 5.5” head length and 2 lbs (tool only)

DEWALT built brushless motor for increased efficiency and runtime

Max torque of 150 ft-lbs in a compact package for a variety of different fastening applications

3 LEDs and a belt clip for additional ease of use



1/2” Square Drive Impact Wrench Kit DCF899P2

SPECIFICATIONS

Up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque

Compact design of 8-13/16” in length and weighs only 7.2 lbs

Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)

1/2” Anvil with detent pin (also available in hog ring)

LED light with 20-second delay for increased visibility



1/4" 3-SPEED IMPACT DRIVER KIT DCF887M2

SPECIFICATIONS

3-speed settings for optimized application versatility

Precision drive in speed 1 for precision applications and added control

3 LEDs with 20-second delay after trigger release, provide visibility without shadows

One-handed loading 1/4" hex chuck with easy grip sleeve, accepts 1" bit tips





Rotary Hammer Kit DCH481X2

SPECIFICATIONS

6.1J's of impact energy provides corded power without the cord.

E-Clutch for maximum control in bind-up situations - A Perform and Protect feature.

SHOCKS - Active Vibration Control reduces vibration felt by the user at the handles.

DEWALT built brushless motor for all day runtime and durability

Two 20V/60V MAX* FLEXVOLT 9.0Ah Batteries



3-Speed Hammerdrill Kit DCD996P2

SPECIFICATIONS

DEWALT-built high power, high efficiency brushless motor delivers up to 75% more runtime vs. 18v NiCad brushed motors. XR Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs

3-Mode LED provides lighting in dark or confined spaces up to 20X brighter than previous model

3-speed, all-metal high performance transmission optimizes tool-to-task for fast application speeds and improved run-time



Cutoff Saw Kit DCS373P2

SPECIFICATIONS

Powerful 460 MWO, 3700 rpm motor delivers power and speed to make the most demanding cuts with ease

5-1/2" 30T carbide-tipped metal cutting blade quickly and cleanly cuts a variety of metallic construction materials

Sight-Line™ window provides for a clear view of the material.

High-strength steel shoe offers durability and resistance against chip build up

Optimized rubber overmolded comfort grip delivers optimal balance and control



Band Saw Kit DCS371P1

SPECIFICATIONS

Centered handle position provides superior balance and ergonomics and allows for more accurate cuts and less user fatigue

LED work light with 20-second delay illuminates dark work surfaces for accurate cutting.

Blade tracking adjustment increases blade life by providing better blade tracking



Reciprocating Saw Kit DCS367P1

SPECIFICATIONS

Compact 14.5" length fits in between studs & in other tight spots

Only 5 lbs. in weight (tool only)

Keyless 4-Position Blade Clamp for quick & easy blade changes & cutting versatility

Variable speed trigger delivers up to 2,900 SPM

Bright LED light to illuminate dark work areas



Chainsaw Kit DCCS670X1

SPECIFICATIONS

Low Kick Back 16" Oregon® Bar and Chain for construction and outdoor cutting applications

Tool-Free chain tensioning and bar tightening knob for proper bar clamping force

Auto-Oiling for continuous lubrication. Quarter-turn oil cap for quick oil re-fills

Chain brake for kick back protection

Up to 70 cuts per charge* *on a 6" x 6" pressure treated pine wood



Blower Kit DCBL720P1

SPECIFICATIONS

Up to 400 CFM of air volume at 90 MPH to clear debris

High-efficiency brushless motor maximizing run time and motor lifeInnovative axial fan design that maximizes on air output and run time

Lightweight and ergonomic design maximizes control and minimizes stress on your arm

Low noise during operation - 61 dB(A).

Variable trigger and speed lock for full power control



Grinder Kit DCG412P2

SPECIFICATIONS

8,000 rpm motor provides high-power for cutting and grinding applications

Quick-Change™ Wheel Release allows for tool-free wheel changes without the need for a wrench

Tool-free guard allows for quick and easy guard adjustments/positioning

2-finger trigger switch (w/ lock-off button) allows for convenient activation and easier gripping

2-position side handle offers greater control, comfort and versatility





Cordless Cable Cutter DCE150D1

SPECIFICATIONS

- Able to cut up to 750 MCM Copper and 1000 MCM Aluminum Cable
- Easily replaceable cutting blade
- Padded shoulder strap with connection ring
- Bright LED light to help illuminate cutting surface
- Easily accessible forward/reverse switch



Cordless ACSR Cable Cutter DCE155D1

SPECIFICATIONS

- Cuts up to 1590 ACSR, 750 MCM Copper or 1000 MCM Aluminum
- Guillotine cutter maintains cable profile for easy connector installation
- Bright LED light helps to illuminate cutting area
- Field serviceable / replaceable blade
- LED light with 20 second delay provides visibility in dimly lit spaces



Portable Power Station DCB1800B

FEATURES

- 1800 Watt Portable Power Station
- 4 Port Parallel Charger
- Four 20V MAX* batteries in (including FLEXVOLT), 15 amps out
- Batteries and extension cord sold seperately
- Runs most variable speed power tools



18V to 20V Adapter DCA1820

SPECIFICATIONS

- Allows for use of 20V MAX* lithium Ion batteries in most 18V DEWALT tools.
- Requires use of 20V MAX* DEWALT charger.
- Do not use with premium DEWALT batteries in DC970 or DC759 tools.
- This Adapter will not work with 20V/60V FLEXVOLT Batteries.



Jobsite LED Spotlight DCL043

SPECIFICATIONS

- 3 bright LEDs illuminate dark jobsite work areas, 1 bright Red LED to preserve night vision
- 2 brightness settings provide flexibility for maximum light output or extended run-time
- 90-degree pivoting head provides versatility for lighting work surfaces
- Distance - Can be seen up to 508 yards or 1,525 feetPivoting head allows for hands-free operation



DEWALT Cordless Tools

Part No.	Description
DCH481X2	DEWALT 60V MAX* BRUSHLESS 1-9/16" SDS MAX COMBINATION HAMMER 9AH FV
DCF898P2	DEWALT 20V BL 7/16" IMPACT WRENCH KIT
DCF890M2	DEWALT 20V MAX* XR 3/8IN IMPACT WRENCH KIT
DCF899P2	DEWALT 20V BL 1/2IN IMPACT WRENCH KIT 5AH
DCF887M2	DEWALT 20V MAX* XR 1/4" 3-SPEED IMPACT DRIVER KIT (4.0AH)
DCS373P2	DEWALT 20V MAX* LITHIUM ION METAL CUTTING CIRCULAR SAW KIT 5AH
DCS371P1	DEWALT 20V MAX* BANDSAW KIT 5AH
DCCS670X1	DEWALT 60V 16IN CHAINSAW
DCG412P2	DEWALT 20V MAX* LITHIUM ION GRINDER TOOL KIT 5AH
DCS367P1	DEWALT 20V MAX* BRUSHLESS COMPACT RECIP SAW
DCBL720P1	DEWALT 20V BRUSHLESS BLOWER WITH 5 AH PACK
DCD996P2	DEWALT 20V MAX* XR LITHIUM ION BRUSHLESS 3-SPEED HAMMERDRILL KIT
DCE150D1	20V MAX* CORDLESS CABLE CUTTING TOOL KIT
DCE155D1	20V MAX* ACSR CABLE CUTTING TOOL KIT

Batteries & Accessories

Part No.	Description
DCL060	DEWALT 18V / 20V MAX* CORDLESS LED WORKLIGHT
DCL043	20V MAX* JOBSITE LED SPOTLIGHT
DCB609	DEWALT 20V/60V MAX* FLEXVOLT LI-ON 9AH BATTERY
DCB119	DEWALT 12V MAX - 20V MAX LI-ION VEHICLE BATTERY CHARGER
DCB1800B	1800 WATT PORTABLE POWER STATION AND PARALLEL BATTERY CHARGER
DCA1820	18V TO 20V ADAPTER
DCB090	12V/20V MAX* USB POWER SOURCE



COMPLETE SOLUTIONS AND SERVICE FOR HEAVY AND COMPACT EQUIPMENT

STANLEY®
Infrastructure

6430 SE Lake Rd.
Portland, OR 97222
Tel. 833.723.1843
Fax 503.652.1780

www.stanleyinfrastructure.com
0820

